

- 1.Tokoro C, Inamori M, Koide T, Sekino Y, Iida H, Sakamoto Y, Endo H, Hosono K, Takahashi H, Yoneda M, Yasuzaki H, Ogawa M, Abe Y, Kubota K, Saito S, Kawana I, Nakajima A, Maeda S, Matsuda R, Takahashi D. Influence of pretreatment with H₂ receptor antagonists on cure rates of Helicobacter pylori eradication. **Medical Science Monitor**. 2011 May;21(5):CR235-240.
- 2.Kobayashi N, Niwa T, Kirikoshi H, Fujita K, Yoneda M, Saito S, Nakajima A. Clinical classification of congenital extrahepatic portosystemic shunts. **Hepatol Res**. 2010 Jun;40(6):585-93.
- 3.Hotta K, Nakamura M, Nakamura T, Matsuo T, Nakata Y, Kamohara S, Miyatake N, Kotani K, Komatsu R, Itoh N, Mineo I, Wada J, Yoneda M, Nakajima A, Funahashi T, Miyazaki S, Tokunaga K, Kawamoto M, Masuzaki H, Ueno T, Hamaguchi K, Tanaka K, Yamada K, Hanafusa T, Oikawa S, Yoshimatsu H, Nakao K, Sakata T, Matsuzawa Y, Nakamura Y, Kamatani N. Polymorphisms in NRXN3, TFAP2B, MSRA, LYPLAL1, FTO and MC4R and their effect on visceral fat area in the Japanese population. **J Hum Genet**. 2010 Nov;55(11):738-42. Epub 2010 Aug 12.
- 4.Kobayashi N, Kubota K, Kato S, Shimamura T, Kirikoshi H, Saito S, Ueda M, Endo I, Inayama Y, Nakajima A. FOXP3+ Regulatory T cells and Tumoral Indoleamine 2,3-Dioxygenase Expression Predicts the Carcinogenesis of Intraductal Papillary Mucinous Neoplasms of the Pancreas. **Pancreatology** 2010 Nov;5(5):631-640.
- 5.Otake S, Kobayashi N, Kato S, Kubota K, Endo I, Inayama Y, Nakajima A. Duodenal gastrointestinal stromal tumor resembling a pancreatic neuroendocrine tumor in a patient with neurofibromatosis type I (von Recklinghausen's disease): a case report. **Journal of Medical Case Reports** 2010 Sep;8(1):302.
- 6.Kobayashi N, Kubota K, Shimamura T, Watanabe S, Kato S, Suzuki K, Uchiyama T, Maeda S, Takeda K, Nakajima A, Endo I, Complications of the Treatment of Endoscopic Biliary Strictures Developing after Liver Transplantation. **Journal of Hepato-Biliary-Pancreatic Sciences** 2011 Mar;18(2):202-10.
- 7.Okada K, Fujisaki J, Kasuga A, Omae M, Kubota M, Hirasawa T, Ishiyama A, Inamori M, Chino A, Yamamoto Y, Tsuchida T, Nakajima A, Hoshino E, Igarashi M. Sporadic non-ampullary duodenal adenoma in the natural history of duodenal

cancer: a study of follow-up surveillance. **Am J Gastroenterol.** 2011 Feb;106(2):357-64. Epub 2010 Dec 7.

8. Hosono K, Endo H, Takahashi H, Sugiyama M, Sakai E, Uchiyama T, Suzuki K, Iida H, Sakamoto Y, Yoneda K, Koide T, Tokoro C, Abe Y, Inamori M, Nakagama H, **Nakajima A**. Metformin suppresses colorectal aberrant crypt foci in a short-term clinical trial. **Cancer Prev Res (Phila)**. 2010 Sep;3(9):1077-83. Epub 2010 Sep 1.
9. Takahashi H, Hosono K, Uchiyama T, Sugiyama M, Sakai E, Endo H, Maeda S, Schaefer KL, Nakagama H, **Nakajima A**. PPARgamma Ligand as a Promising Candidate for Colorectal Cancer Chemoprevention: A Pilot Study. **PPAR Res.** 2010;2010. pii: 257835. Epub 2010 Aug 2.
10. Sekino Y, Iida H, Endo H, Sakamoto Y, Yoneda M, Koide T, Takahashi H, Tokoro C, Abe Y, **Nakajima A**, Maeda S, Takihata M, Terauchi Y, Inamori M. Effectiveness of repeated intragastric balloon therapy in a morbidly obese Japanese patient. **Internal Medicine** 2011;50(2):109-12. Epub 2011 Jan 15.
11. Akiyama T, Yoneda M, Maeda S, **Nakajima A**, Koyama S, Inamori M. Review article: Visceral Obesity and the Risk of Barrett's Esophagus. **Digestion**. 2011;83(3):142-5. Epub 2011 Jan 21.
12. Nonaka T, Kessoku T, Ogawa Y, Imajyo K, Yanagisawa S, Shiba T, Sakaguchi T, Atsukawa K, Takahashi H, Sekino Y, Sakai E, Uchiyama T, Iida H, Hosono K, Endo H, Sakamoto Y, Koide T, Takahashi H, Tokoro C, Abe Y, Maeda S, **Nakajima A**, Inamori M. Does postprandial itopride intake affect gastric emptying?: a crossover study using the continuous real time ¹³C breath test (BreathID system). **Hepatogastroenterology** 2011 Jan-Feb;58(105):224-8.
13. Nakano K, Wada K, Nomura R, Nemoto H, Inaba H, Kojima A, Naka S, Hokamura K, Mukai T, **Nakajima A**, Umemura K, Kamisaki Y, Yoshioka H, Taniguchi K, Amano A, Ooshima T. Characterization of aortic aneurysms in cardiovascular disease patients harboring *Porphyromonas gingivalis* **Oral Dis.** 2011 May;17(4):370-378. doi: 10.1111/j.1601-0825.2010.01759.x. Epub 2010 Oct 28.

14. Sakai E, Endo H, Tokoro C, Sugano N, Rino Y, Oshiro H, Nakajima A. Cytomegalovirus-induced small-bowel bleeding detected by capsule endoscopy. *Gastrointest Endosc*. 2011 May;73(5):1058-60. Epub 2010 Oct 29.
15. Endo H, Hosono K, Inamori M, Kato S, Uchiyama T, Iida H, Sakamoto Y, Fujita K, Takahashi H, Koide T, Yoneda M, Tokoro C, Abe Y, Kubota K, Saito S, Nagahama K, Inayama Y, Nakajima A. Capsule Endoscopic Evaluation of Eosinophilic Enteritis before and after Treatment. *Digestion*. 2011;83(1-2):134-135. Epub 2010 Nov 1.
16. Uchiyama T, Takahashi H, Sugiyama M, Sakai E, Hosono K, Endo H, Yoneda K, Yoneda M, Inamori M, Nagashima Y, Inayama Y, Wada K, Nakajima A. Leptin receptor is involved in STAT3 activation in human colorectal adenoma. *Cancer Science*. 2011 Feb;102(2):367-72. doi: 10.1111/j.1349-7006.2010.01803.x. Epub 2010 Dec 19.
17. Kubota K, Nakajima A, The therapeutic strategy for autoimmune pancreatitis is subject to the endoscopic features of the duodenal papilla *Therapeutic Advances in Gastroenterology* November 2010 3: 383-395, first published on May 4, 2010
18. Kubota K, Kato S, Watanabe S, Fujita K, Yoneda M, Takahashi H, Inamori M, Shimamura T, Kirikoshi H, Kobayashi N, Saito S, Hisatomi K, Matsuhashi N, Nakajima A. Usefulness of endoscopic biopsy using FOXP3(+) Treg up-regulation in the duodenal papilla in the differential diagnosis between autoimmune pancreatitis and pancreatic cancer. *J Hepatobiliary Pancreat Sci*. 2011 May;18(3):414-21.
19. Hotta K, Yoneda M, Hyogo H, Ochi H, Mizusawa S, Ueno T, Chayama K, Nakajima A, Nakao K, Sekine A. Association of the rs738409 polymorphism in PNPLA3 with liver damage and the development of nonalcoholic fatty liver disease. *BMC Med Genet*. 2010 Dec 22;11(1):172. [Epub ahead of print]
20. Yoneda M, Fujita K, Imajo K, Mawatari H, Kirikoshi H, Saito S, Nakajima A. Induction of microsomal triglyceride transfer protein expression is a candidate mechanism by which ezetimibe therapy might exert beneficial effects in patients with nonalcoholic steatohepatitis. *J Gastroenterol*. 2011 Mar;46(3):415-6. Epub 2010 Dec 22.

- 21.Kubota K, Kato S, Uchiyama T, Watanabe S, Nozaki Y, Fujita K, Yoneda M, Inamori M, Shimamura T, Abe Y, Kirikoshi H, Kobayashi N, Saito S, Nakajima A. Discrimination between sclerosing cholangitis-associated autoimmune pancreatitis and primary sclerosing cholangitis, cancer using intraductal ultrasonography. **Dig Endosc.** 2011 Jan;23(1):10-6. doi: 10.1111/j.1443-1661.2010.01039.x. Epub 2010 Nov 30.
- 22.Endo H, Hosono K, Higurashi T, Sakai E, Iida H, Sakamoto Y, Fujita K, Takahashi H, Koide T, Yoneda M, Tokoro C, Inamori M, Abe Y, Matsuhashi N, Nakajima A. Quantitative analysis of low-dose aspirin-associated small bowel injury using a capsule endoscopy scoring index. **Dig Endosc.** 2011 Jan;23(1):56-61.
- 23.Yoneda M, Kato S, Mawatari H, Kirikoshi H, Imajo K, Fujita K, Endo H, Takahashi H, Inamori M, Kobayashi N, Kubota K, Saito S, Tohnai I, Watanuki K, Wada K, Maeda S, Nakajima A. Liver abscess caused by periodontal bacterial infection with *Fusobacterium necrophorum*. **Hepatol Res.** 2011 Feb;41(2):194-6.
- 24.Sekino Y, Inamori M, Hirai M, Suzuki K, Tsuzawa K, Akimoto K, Tomimoto A, Fujisawa N, Miharada K, Tsunemi A, Tanaka M, Iida H, Sakamoto Y, Takahashi H, Koide T, Tokoro C, Abe Y, Maeda S, Nakajima A, Koyama S. Solitary Peutz-Jeghers-type hamartomatous polyp in the duodenum: Is it associated with a low risk of cancer? **J Med Case Reports** 2011 Jun 27;5(1):240. [Epub ahead of print]
- 25.Fujita K, Imajo K, Shinohara Y, Nozaki Y, Wada K, Yoneda M, Endo H, Takahashi H, Abe Y, Inamori M, Shimamura T, Kobayashi N, Kirikoshi H, Kubota K, Saito S, Nakajima A. Novel Findings for the Development of Drug Therapy for Various Liver Diseases:Liver Microsomal Triglyceride Transfer Protein Activator May Be a Possible Therapeutic Agent in Non-alcoholic Steatohepatitis. **J Pharmacol Sci.** 2011 Mar 17;115(3):270-3. Epub 2011 Feb 22.
- 26.Yoneda M, Nakajima A, Wada K. Novel Findings for the Development of DrugTherapy for Various Liver Diseases:Preface. **J Pharmacol Sci.** 2011 Mar 17;115(3):259-62. Epub 2011 Feb 22.
- 27.Fujita K, Wada K, Nozaki Y, Yoneda M, Endo H, Takahashi H, Kirikoshi H, Inamori M, Saito S, Nakajima A. Serum nitric oxide metabolite as a biomarker of visceral fat

accumulation: Clinical significance of measurement for nitrate/nitrite. *Med Sci Monit.* 2011 Feb;17(3):CR123-131.

- 28.Sakamoto Y, Kato S, Sekino Y, Sakai E, Uchiyama T, Iida H, Hosono K, Endo H, Fujita K, Koide T, Takahashi H, Yoneda M, Tokoro C, Goto A, Abe Y, Kobayashi N, Kubota K, Maeda S, Nakajima A, Inamori M (Corresponding author). Change of gastric emptying with chewing gum: evaluation using a continuous real-time ¹³C breath test (BreathID system). **Journal of Neurogastroenterology and Motility** 2011 Apr;17(2):174-9. doi: 10.5056/jnm.2011.17.2.174. Epub 2011 Apr 27.
- 29.Kusayama M, Wada K, Nagata M, Ishimoto S, Takahashi H, Yoneda M, Nakajima A, Okura M, Kogo M, Kamisaki Y. Critical role of aquaporin 3 on growth of human esophageal and oral squamous cell carcinoma. **Cancer Sci.** 2011 Jun;102(6):1128-36. doi: 10.1111/j.1349-7006.2011.01927.x. Epub 2011 Apr 24.
- 30.Endo H, Hosono K, Uchiyama T, Sakai E, Sugiyama M, Takahashi H, Nakajima N, Wada K, Takeda K, Nakagama H, Nakajima A. Leptin acts as a growth factor for colorectal tumours at stages subsequent to tumour initiation in murine colon carcinogenesis. **Gut.** 2011 Oct;60(10):1363-71. Epub 2011 Mar 15.
- 31.Okada K, Fujisaki J, Kasuga A, Omae M, Hirasawa T, Ishiyama A, Inamori M, Chino A, Yamamoto Y, Tsuchida T, Nakajima A, Hoshino E, Igarashi M. Diagnosis of undifferentiated type early gastric cancers by magnification endoscopy with narrow-band imaging. **J Gastroenterol Hepatol.** 2011 Aug;26(8):1262-9. doi: 10.1111/j.1440-1746.2011.06730.x.
- 32.Kubota K, Watanabe S, Uchiyama T, Kato S, Sekino Y, Suzuki K, Mawatari H, Iida H, Endo H, Fujita K, Yoneda M, Takahashi H, Kirikoshi H, Kobayashi N, Saito S, Sugimori K, Hisatomi K, Matsuhashi N, Sato H, Tanida E, Sakaguchi T, Fujisawa N, Nakajima A. Factors predictive of relapse and spontaneous remission of autoimmune pancreatitis patients treated/not treated with corticosteroids. **J Gastroenterol.** 2011 Jun;46(6):834-42. Epub 2011 Apr 15.
- 33.Hosono K, Endo H, Sakai E, Sekino Y, Uchiyama T, Watanabe S, Iida H, Sakamoto Y, Koide T, Takahashi H, Yoneda M, Tokoro C, Abe Y, Inamori M, Kobayashi N, Kubota K, Nakajima A. Optimal Approach for Small Bowel Capsule Endoscopy Using

Polyethylene Glycol and Metoclopramide with the Assistance of a Real-Time Viewer.
Digestion. 2011 Apr 15;84(2):119-125. [Epub ahead of print]

34. Nonaka T, Kessoku T, Ogawa Y, Imajyo K, Yanagisawa S, Shiba T, Sakaguchi T, Atsukawa K, Takahashi H, Sekino Y, Sakai E, Uchiyama T, Iida H, Hosono K, Endo H, Sakamoto Y, Fujita K, Yoneda M, Koide T, Takahashi H, Tokoro C, Abe Y, Maeda S, Nakajima A, Inamori M. Effects of histamine H₂ receptor antagonists and proton pump inhibitors on the rate of gastric emptying: a crossover study using a continuous real-time ¹³C breath test (BreathID system). **Journal of Neurogastroenterology and Motility.** 2011 Jul; 17(3): 287-293
35. Endo H, Higurashi T, Hosono K, Sakai E, Sekino Y, Iida H, Sakamoto Y, Koide T, Takahashi H, Yoneda M, Tokoro C, Inamori M, Abe Y, Nakajima A. Efficacy of Lactobacillus casei treatment on small bowel injury in chronic low-dose aspirin users: a pilot randomized controlled study. **J Gastroenterol.** 2011 Jul;46(7):894-905. Epub 2011 May 10.
36. Tokoro C, Inamori M, Sekino Y, Sakai E, Uchiyama T, Iida H, Hosono K, Endo H, Sakamoto Y, Takahashi H, Koide T, Yasizaki H, Goto A, Abe Y, Kawana I, Nakajima A, Maeda S, Ohshiro H, Inayama Y. Localized primary AL amyloidosis of the colon without other gastrointestinal involvement. **Gastrointestinal Endoscopy.** 2011 Oct;74(4):925-927. Epub 2011 Aug 6. No abstract available.
37. Uchiyama T, Takahashi H, Endo H, Sugiyama M, Sakai E, Hosono K, Nagashima Y, Inayama Y, Wada K, Hippo Y, Nakajima A. Role of the long form leptin receptor and of the STAT3 signaling pathway in colorectal cancer progression. **Int J Oncol.** 2011 Oct;39(4):935-40. doi: 10.3892/ijo.2011.1105. Epub 2011 Jun 29.
38. Iida H, Endo H, Sekino Y, Sakai E, Uchiyama T, Hosono K, Nonaka T, Sakamoto Y, Fujita K, Yoneda M, Koide T, Takahashi H, Tokoro C, Goto A, Abe Y, Gotoh E, Maeda S, Nakajima A, Inamori M (Corresponding author). A new noninvasive modality for recording sequential images and the pH of the small bowel. **Hepatogastroenterology** 2011 Aug 10;59(114)
39. Sekino Y, Imajo K, Sakai E, Uchiyama T, Iida H, Endo H, Hosono K, Sakamoto Y, Fujita K, Yoneda M, Takahashi H, Koide T, Tokoro C, Abe Y, Saito S, Maeda S, Gotoh

- E, Takihata M, Terauchi Y, Nakajima A, Inamori M. Time-course of changes of visceral fat area, liver volume and liver fat area during intragastric balloon therapy in Japanese super-obese patients. **Intern Med.** 2011;50(21):2449-55. Epub 2011 Nov 1.
- 40.Sakai E, Takahashi H, Kato S, Uchiyama T, Hosono K, Endo H, Maeda S, Yoneda M, Taguri M, Nakajima A. Investigation of the prevalence and number of aberrant crypt foci associated with human colorectal neoplasm. **Cancer Epidemiol Biomarkers Prev.** 2011 Sep;20(9):1918-24. Epub 2011 Jul 12.
- 41.Nonaka T, Inamori M, Kessoku T, Ogawa Y, Yanagisawa S, Shiba T, Sakaguchi T, Gotoh E, Maeda S, Gotoh E, Nakajima A, Atsukawa K, Takahashi H, Akasaka Y. A case of rectal cancer arising from long-standing prolapsed mucosa of the rectum. **Intern Med** 2011;50(21):2569-73. Epub 2011 Nov 1.
- 42.Hotta K, Kitamoto T, Kitamoto A, Mizusawa S, Matsuo T, Nakata Y, Kamohara S, Miyatake N, Kotani K, Komatsu R, Itoh N, Mineo I, Wada J, Yoneda M, Nakajima A, Funahashi T, Miyazaki S, Tokunaga K, Masuzaki H, Ueno T, Hamaguchi K, Tanaka K, Yamada K, Hanafusa T, Oikawa S, Yoshimatsu H, Sakata T, Matsuzawa Y, Nakao K, Sekine A. Association of variations in the FTO, SCG3 and MTMR9 genes with metabolic syndrome in a Japanese population. **J Hum Genet.** Sep;56(9):647-51. doi: 10.1038/jhg.2011.74. Epub 2011 Jul 28.
- 43.Hotta K, Kitamoto T, Kitamoto A, Mizusawa S, Matsuo T, Nakata Y, Hyogo H, Ochi H, Kamohara S, Miyatake N, Kotani K, Komatsu R, Itoh N, Mineo I, Wada J, Yoneda M, Nakajima A, Funahashi T, Miyazaki S, Tokunaga K, Masuzaki H, Ueno T, Chayama K, Hamaguchi K, Yamada K, Hanafusa T, Oikawa S, Yoshimatsu H, Sakata T, Tanaka K, Matsuzawa Y, Nakao K, Sekine A. Computed tomography analysis of the association between the SH2B1 rs7498665 single-nucleotide polymorphism and visceral fat area. **J Hum Genet.** 2011 Oct;56(10):716-9. doi: 10.1038/jhg.2011.86. Epub 2011 Jul 28.
- 44.Iida H, Kato S, Sekino Y, Sakai E, Uchiyama T, Endo H, Hosono K, Sakamoto Y, Fujita K, Yoneda M, Koide T, Takahashi H, Tokoro C, Goto A, Abe Y, Kobayashi N, Kubota K, Gotoh E, Maeda S, Nakajima A, Inamori M. Early effects of oral administration of omeprazole and roxatidine on the intragastric pH. **JZUSB** 2012

Jan;13(1):29-34.

- 45.Aikou S, Ohmoto Y, Gunji T, Matsuhashi N, Ohtsu H, Miura H, Kubota K, Yamagata Y, Seto Y, Nakajima A, Goldenring JR, Kaminishi M, Nomura S. Tests for Serum Levels of Trefoil Factor Family Proteins Can Improve Gastric Cancer Screening. *Gastroenterology*. 2011 Sep;141(3):837-845.e1-7. Epub 2011 May 27.
- 46.Sakamoto Y, Sekino Y, Yamada E, Ohkubo H, Higurashi T, Sakai E, Iida H, Hosono K, Endo H, Nonaka T, Ikeda T, Fujita K, Yoneda M, Koide T, Takahashi H, Goto A, Abe Y, Gotoh E, Maeda S, Nakajima A, Inamori M. Mosapride accelerates the delayed gastric emptying of high-viscosity liquids: a crossover study using continuous real-time ¹³C breath test (BreathID system). *J Neurogastroenterol Motil.* in press. 2011 Oct; 17(4): 395-401
- 47.Yoneda M, Imajo K, Kirikoshi H, Nakajima A. Acoustic radiation force-based shear stiffness and non-invasive panels of tests in Japanese patients with nonalcoholic fatty liver disease. *J Hepatol*. 2011 Aug 29. [Epub ahead of print]
- 48.Nakano K, Hokamura K, Taniguchi N, Wada K, Kudo C, Nomura R, Kojima A, Naka S, Muranaka Y, Thura M, Nakajima A, Masuda K, Nakagawa I, Speziale P, Shimada N, Amano A, Kamisaki Y, Tanaka T, Umemura K, Ooshima T. The collagen-binding protein of *Streptococcus mutans* is involved in haemorrhagic stroke. *Nat Commun*. 2011 Sep 27;2:485. doi: 10.1038/ncomms1491.
- 49.Higurashi T, Endo H, Yoneda M, Hosono K, Sakai E, Takahashi H, Inamori M, Uchiyama S, Kojima T, Kawana K, Natsumeda Y, Nagase H, Nakajima A. Capsule-Endoscopic Findings of Ulcerative Colitis Patients. *Digestion*. 2011 Oct 28;84(4):306-314. [Epub ahead of print]
- 50.Hotta K, Kitamoto A, Kitamoto T, Mizusawa S, Teranishi H, Matsuo T, Nakata Y, Hyogo H, Ochi H, Nakamura T, Kamohara S, Miyatake N, Kotani K, Komatsu R, Itoh N, Mineo I, Wada J, Yoneda M, Nakajima A, Funahashi T, Miyazaki S, Tokunaga K, Masuzaki H, Ueno T, Chayama K, Hamaguchi K, Yamada K, Hanafusa T, Oikawa S, Yoshimatsu H, Sakata T, Tanaka K, Matsuzawa Y, Nakao K, Sekine A. Genetic variations in the CYP17A1 and NT5C2 genes are associated with a reduction in visceral and subcutaneous fat areas in Japanese women. *J Hum Genet*.

2011 Nov 10. doi: 10.1038/jhg.2011.127. [Epub ahead of print]

- 51.Sakai E, Morioka T, Yamada E, Ohkubo H, Higurashi T, Hosono K, Endo H, Takahashi H, Takamatsu R, Cui C, Shiozawa M, Akaike M, Samura H, Nishimaki T, **Nakajima A**, Yoshimi N. Identification of preneoplastic lesions as mucin-depleted foci in patients with sporadic colorectal cancer. **Cancer Sci.** 2011 Oct 20. doi: 10.1111/j.1349-7006.2011.02125.x. [Epub ahead of print]
- 52.Iwasaki T, Yoneda M, Inamori M, Shirakawa J, Higurashi T, Maeda S, Terauchi Y, **Nakajima A**. Sitagliptin as a Novel Treatment Agent for Non-Alcoholic Fatty Liver Disease Patients with Type 2 Diabetes Mellitus. **Hepatogastroenterology.** 2011 Oct 12;58(112).2103-5. doi: 10.5754/hge11263. [Epub ahead of print]
- 53.Yamada E, Endo H, **Nakajima A**, Yamanaka S. Disseminated Mycobacterium avium disease with nodular infiltration in the small intestine, detected by capsule endoscopy. **Endoscopy.** 2011 Oct;43 Suppl 2:E332-3. Epub 2011 Oct 21. No abstract available.
- 54.Chiba H, Sekiguchi M, Ito T, Tsuji Y, Ohata K, Ohno A, Umezawa S, Takeuchi S, Hisatomi K, Teratani T, Matsuhashi N, Endo H, Inamori M, **Nakajima A**. Is It Worthwhile to Perform Capsule Endoscopy for Asymptomatic Patients with Positive Immunochemical Faecal Occult Blood Test? **Dig Dis Sci.** 2011 Dec;56(12):3459-62. Epub 2011 Jun 25.
- 55.Kato S, Kubota K, Shimamura T, Shinohara Y, Kobayashi N, Watanabe S, Yoneda M, Inamori M, Nakamura F, Ishiguro H, Nakaigawa N, Nagashima Y, Taguri M, Kubota Y, Goshima Y, Morita S, Endo I, Maeda S, **Nakajima A**, Nakagama H. Semaphorin 4D, a lymphocyte semaphorin, enhances tumor cell motility through binding its receptor, plexinB1, in pancreatic cancer. **Cancer Sci.** 2011 Nov;102(11):2029-2037. doi: 10.1111/j.1349-7006.2011.02053.x. Epub 2011 Sep 13.
- 56.Ishimoto S, Wada K, Tanaka N, Yamanishi T, Ishihama K, Aikawa T, Okura M, **Nakajima A**, Kogo M, Kamisaki Y. Role of endothelin receptor signalling in squamous cell carcinoma. **Int J Oncol.** 2012 Apr;40(4):1011-9. doi: 10.3892/ijo.2011.1258. Epub 2011 Nov 10.

- 57.Iida H, Inamori M, Sekino Y, Sakamoto Y, Yamato S, Nakajima A, A review of the reported cases of chronic intestinal pseudo-obstruction in Japan and an investigation of proposed new diagnostic criteria **Clin J Gastroenterol** (2011) 4:141-146
- 58.Sakamoto Y, Sekino Y, Yamada E, Higurashi T, Ohkubo H, Sakai E, Endo H, Iida H, Nonaka T, Fujita K, Yoneda M, Koide T, Takahashi H, Goto A, Abe Y, Gotoh E, Maeda S, Nakajima A, Inamori M. Effect of sumatriptan on gastric emptying: a crossover study using BreathID system. **World J Gastroenterol.** 2012 Jul 14;18(26):3415-9.
- 59.Iwasaki T, Tomeno W, Yoneda M, Inamori M, Shirakawa J, Imajo K, Kawashima K, Terauchi Y, Nakajima A. Non-Alcoholic Fatty Liver Disease Adversely Affects the Glycemic Control Afforded by Sitagliptin. **Hepatogastroenterology.** 2011 Dec 6;59(117). doi: 10.5754/hge11689.
- 60.Suzuki K, Uchiyama S, Imajyo K, Tomeno W, Sakai E, Yamada E, Tanida E, Akiyama T, Watanabe S, Endo H, Fujita K, Yoneda M, Takahashi H, Koide T, Tokoro C, Abe Y, Kawaguchi M, Gotoh E, Maeda S, Nakajima A, Inamori M. Risk factors for colonic diverticular hemorrhage: Japanese multicenter study. **Digestion.** 2012 in press. 2012 Jun;85(4):261-5. Epub 2012 Mar 30.
- 61.Masaki T, Sugihara K, Nakajima A, Muto T. Nationwide survey on adult type chronic intestinal pseudo-obstruction in surgical institutions in Japan. **Surg Today.** 2012 Feb;42(3):264-71. Epub 2012 Jan 12.
- 62.Homma Y, Akiyama H, Matsuyama R, Makino H, Sakamoto Y, Inamori M, Nakajima A, Maeda S, Tanaka K, Kunisaki C, Endo I. Assessment of Gastric Emptying Function after Gastrectomy using a Real-Time ¹³C Breath Test. **Hepatogastroenterology.** 2012 Jan 13;59(119). doi: 10.5754/hge11849. [Epub ahead of print]
- 63.Ohkubo H, Takahashi H, Yamada E, Sakai E, Higurashi T, Uchiyama T, Hosono K, Endo H, Taguri M, Nakajima A. Natural history of human aberrant crypt foci and correlation with risk factors for colorectal cancer. **Oncol Rep.** 2012 May;27(5):1475-80. doi: 10.3892/or.2012.1631. Epub 2012 Jan 12.

- 64.Okada K, Fujisaki J, Yoshida T, Ishikawa H, Suganuma T, Kasuga A, Omae M, Kubota M, Ishiyama A, Hirasawa T, Chino A, Inamori M, Yamamoto Y, Yamamoto N, Tsuchida T, Tamegai Y, Nakajima A, Hoshino E, Igarashi M. Long-term outcomes of endoscopic submucosal dissection for undifferentiated-type early gastric cancer. **Endoscopy**. 2012 Feb;44(2):122-7. Epub 2012 Jan 23.
- 65.Yoneda M, Naka S, Nakano K, Wada K, Endo H, Mawatari H, Imajo K, Nomura R, Hokamura K, Ono M, Murata S, Tohnai I, Sumida Y, Shima T, Kuboniwa M, Umemura K, Kamisaki Y, Amano A, Okanoue T, Ooshima T, Nakajima A. Involvement of a periodontal pathogen, *Porphyromonas gingivalis* on the pathogenesis of non-alcoholic fatty liver disease. **BMC Gastroenterol**. 2012 Feb 16;12(1):16. [Epub ahead of print]
- 66.Akiyama T, Chiba K, Jono F, Akimoto K, Takahata A, Fujisawa N, Inamori M, Maeda S, Nakajima A, Nakamura A, Koyama S. Successful endoscopic removal of a press-through package in the terminal ileum causing obstructive ileus. **Gastrointest Endosc**. 2012 Mar;75(3):671-2. No abstract available.
- 67.Hotta K, Kitamoto A, Kitamoto T, Mizusawa S, Teranishi H, So R, Matsuo T, Nakata Y, Hyogo H, Ochi H, Nakamura T, Kamohara S, Miyatake N, Kotani K, Komatsu R, Itoh N, Mineo I, Wada J, Yoneda M, Nakajima A, Funahashi T, Miyazaki S, Tokunaga K, Masuzaki H, Ueno T, Chayama K, Hamaguchi K, Yamada K, Hanafusa T, Oikawa S, Yoshimatsu H, Sakata T, Tanaka K, Matsuzawa Y, Nakao K, Sekine A. Association between type 2 diabetes genetic susceptibility loci and visceral and subcutaneous fat area as determined by computed tomography. **J Hum Genet**. 2012 May;57(5):305-10. doi: 10.1038/jhg.2012.21. Epub 2012 Mar 1.
- 68.Mawatari H, Yoneda M, Kirikoshi H, Maeda S, Nakajima A, Saito S. Thrombocytopenia is more severe in patients with chronic hepatitis C than in patients with nonalcoholic fatty liver disease. **J Gastroenterol**. 2012 May;47(5):606-7. Epub 2012 Mar 3.
- 69.Iida H, Inamori M, Fujii T, Sekino Y, Endo H, Hosono K, Nonaka T, Koide T, Takahashi H, Yoneda M, Goto A, Abe Y, Kobayashi N, Kirikoshi H, Kubota K, Saito S, Gotoh E, Maeda S, Nakajima A. Early effect of oral administration of omeprazole with mosapride as compared with those of omeprazole alone on the intragastric pH.

BMC Gastroenterol. 2012 Mar 26;12(1):25. [Epub ahead of print]

- 70.Higurashi T, Takahashi H, Endo H, Hosono K, Yamada E, Ohkubo H, Sakai E, Uchiyama T, Hata Y, Fujisawa N, Uchiyama S, Ezuka A, Nagase H, Kessoku T, Matsuhashi N, Nakayama S, Inayama Y, Morita S, Nakajima A. Metformin efficacy and safety for colorectal polyps: a double-blind randomized controlled trial. **BMC Cancer.** 2012 Mar 26;12(1):118. [Epub ahead of print]
- 71.Kojima A, Nakano K, Wada K, Takahashi H, Katayama K, Yoneda M, Higurashi T, Nomura R, Hokamura K, Muranaka Y, Matsuhashi N, Umemura K, Kamisaki Y, Nakajima A, Ooshima T. Infection of specific strains of Streptococcus mutans, oral bacteria, confers a risk of ulcerative colitis. **Sci Rep.** 2012;2:332. Epub 2012 Mar 26.
- 72.Kobayashi N, Sugimori K, Shimamura T, Hosono K, Watanabe S, Kato S, Ueda M, Endo I, Inayama Y, Maeda S, Nakajima A, Kubota K. Endoscopic ultrasonographic findings predict the risk of carcinoma in branch duct intraductal papillary mucinous neoplasms of the pancreas. **Pancreatology.** 2012 Mar;12(2):141-5. Epub 2012 Jan 14.
- 73.Kirikoshi H, Yoneda M, Mawatari H, Fujita K, Imajo K, Kato S, Suzuki K, Kobayashi N, Kubota K, Maeda S, Nakajima A, Saito S. Is hepatic arterial infusion chemotherapy effective treatment for advanced hepatocellular carcinoma resistant to transarterial chemoembolization? **World J Gastroenterol.** 2012 Apr 28;18(16):1933-9.
- 74.Ishimoto S, Wada K, Usami Y, Tanaka N, Aikawa T, Okura M, Nakajima A, Kogo M, Kamisaki Y. Differential expression of aquaporin 5 and aquaporin 3 in squamous cell carcinoma and adenoid cystic carcinoma. **Int J Oncol.** 2012 Jul;41(1):67-75. doi: 10.3892/ijo.2012.1445. Epub 2012 Apr 20.
- 75.Akiyama T, Sekino Y, Iida H, Koyama S, Gotoh E, Maeda S, Nakajima A, Inamori M. Endoscopic diagnosis of Barrett's esophagus. **World J Gastroenterol.** 2012 Jul 14;18(26):3477-8.
- 76.Sekino Y, Endo H, Yamada E, Sakai E, Ohkubo H, Higurashi T, Iida H, Hosono K, Takahashi H, Koide T, Nonaka T, Abe Y, Gotoh E, Maeda S, Nakajima A, Inamori M (Corresponding author). Clinical associations and risk factors for bleeding from colonic angiectasia: a case-controlled study. **Colorectal Disease.** 2012

Oct;14(10):e740-6.

- 77.Imajo K, Fujita K, Nozaki Y, Kato S, Yoneda M, Kirikoshi H, Ikejima K, Watanabe S, Wada K, Nakajima A. Hyperresponsivity to low-dose endotoxin during progression to nonalcoholic steatohepatitis is regulated by leptin-mediated signaling. **Cell Metab.** 2012 Jul 3;16(1):44-54. doi: 10.1016/j.cmet.2012.05.012.
- 78.Sekino Y, Yamada E, Sakai E, Ohkubo H, Higurashi T, Iida H, Endo H, Takahashi H, Koide T, Sakamoto Y, Nonaka T, Gotoh E, Maeda S, Nakajima A, Inamori M. Influence of sumatriptan on gastric accommodation and on antral contraction in healthy subjects assessed by ultrasonography. **Neurogastroenterology and Motility.** 2012 Dec;24(12):1083-e564.
- 79.Nakajima T, Matsuhashi N, Nara S, Nakajima A, Imura J, Kihara A, Murata K, Fukushima J, Horiuchi H. An adult case of midgut volvulus in familial visceral myopathy. **Pathol Int.** 2012 Aug;62(8):554-8. Epub 2012 Jun 25. PubMed PMID: 22827765.
- 80.Sakamoto Y, Sekino Y, Yamada E, Higurashi T, Ohkubo H, Sakai E, Endo H, Iida H, Nonaka T, Fujita K, Yoneda M, Koide T, Takahashi H, Goto A, Abe Y, Gotoh E, Maeda S, Nakajima A, Inamori M. Effect of sumatriptan on gastric emptying: A crossover study using the BreathID system. **World J Gastroenterol.** 2012 Jul 14;18(26):3415-9. PubMed PMID: 22807611; PubMed Central PMCID: PMC3396194.
- 81.Imajo K, Fujita K, Yoneda M, Shinohara Y, Suzuki K, Mawatari H, Takahashi J, Nozaki Y, Sumida Y, Kirikoshi H, Saito S, Nakamura M, Matsuhashi N, Wada K, Nakajima A. Plasma free choline is a novel non-invasive biomarker for early-stage non-alcoholic steatohepatitis: A multi-center validation study. **Hepatol Res.** 2012 Aug;42(8):757-66. doi: 10.1111/j.1872-034X.2012.00976.x. Epub 2012 Mar 12. PubMed
- 82.Sato T, Kato S, Watanabe S, Hosono K, Kobayashi N, Nakajima A, Kubota K. Primary leiomyoma of the pancreas diagnosed by endoscopic ultrasound-guided fine-needle aspiration. **Dig Endosc.** 2012 Sep;24(5):380.

- 83.Uchiyama T, Takahashi H, Endo H, Kato S, Sakai E, Hosono K, Yoneda M, Inamori M, Hippo Y, Nakagama H, **Nakajima A**. Number of aberrant crypt foci in the rectum is a useful surrogate marker of colorectal adenoma recurrence. **Dig Endosc.** 2012 Sep;24(5):353-7. doi: 10.1111/j.1443-1661.2012.01289.x. Epub 2012 Apr 2. PubMed
- 84.Nakamura A, Tajima K, Zolzaya K, Sato K, Inoue R, Yoneda M, Fujita K, Nozaki Y, Kubota KC, Haga H, Kubota N, Nagashima Y, **Nakajima A**, Maeda S, Kadowaki T, Terauchi Y. Protection from non-alcoholic steatohepatitis and liver tumourigenesis in high fat-fed insulin receptor substrate-1-knockout mice despite insulin resistance. **Diabetologia.** 2012 Dec;55(12):3382-91. doi: 10.1007/s00125-012-2703-1. Epub 2012 Sep 7.
- 85.Sekino Y, Inamori M, Yamada E, Ohkubo H, Sakai E, Higurashi T, Iida H, Hosono K, Endo H, Nonaka T, Takahashi H, Koide T, Abe Y, Gotoh E, Koyano S, Kuroiwa Y, Maeda S, **Nakajima A**. Characteristics of intestinal pseudo-obstruction in patients with mitochondrial diseases. **World J Gastroenterol.** 2012 Sep 7;18(33):4557-62.
- 86.Higurashi T, Hosono K, Endo H, Takahashi H, Iida H, Uchiyama T, Ezuka A, Uchiyama S, Yamada E, Ohkubo H, Sakai E, Maeda S, Morita S, Natsumeda Y, Nagase H, **Nakajima A**. Eicosapentaenoic acid (EPA) efficacy for colorectal aberrant crypt foci (ACF): a double-blind randomized controlled trial. **BMC Cancer.** 2012 Sep 19;12(1):413. [Epub ahead of print] PMID: 22992267
- 87.Kubota K, Sato T, Kato S, Watanabe S, Hosono K, Kobayashi N, Hisatomi K, Matsuhashi N, **Nakajima A**. Needle-knife precut papillotomy with a small incision over a pancreatic stent improves the success rate and reduces the complication rate in difficult biliary cannulations. **J Hepatobiliary Pancreat Sci.** 2013 Mar;20(3):382-8.
- 88.Nonaka T, Kessoku T, Ogawa Y, Yanagisawa S, Shiba T, Sakaguchi T, Atsukawa K, Takahashi H, Sekino Y, Iida H, Endo H, Sakamoto Y, Koide T, Takahashi H, Yoneda M, Maeda S, **Nakajima A**, Gotoh E, Inamori M (Corresponding author). Comparative Study of 2 Different Questionnaires in Japanese Patients: The Quality of Life and Utility Evaluation Survey Technology Questionnaire (QUEST) Versus the Frequency Scale for the Symptoms of Gastroesophageal Reflux Disease Questionnaire (FSSG). **J Neurogastroenterol Motil.** 2013 Jan;19(1):54-60. doi:

10.5056/jnm.2013.19.1.54. Epub 2013 Jan 8.

89. Endo H, Sakai E, Higurashi T, Yamada E, Ohkubo H, Iida H, Koide T, Yoneda M, Abe Y, Inamori M, Hosono K, Takahashi H, Kubota K, Nakajima A. Differences in the severity of small bowel mucosal injury based on the type of aspirin as evaluated by capsule endoscopy. **Dig Liver Dis.** 2012 Oct;44(10):833-8.
90. Kadomatsu Y, Kojima T, Kohara M, Inamori M. Hepatic Portal Venous Gas Following Percutaneous Endoscopic Gastrostomy. **Internal Medicine.** 2013;52(1):153. Epub 2013 Jan 1.
91. Hirata K, Katayama K, Nakajima A, Takada K, Kamisaki Y, Wada K. Role of leukotriene B(4) receptor signaling in human preadipocyte differentiation. **Biochem Biophys Res Commun.** 2012 Nov 5. doi:pii: S0006-291X(12)02102-X. 10.1016/j.bbrc.2012.10.110. [Epub ahead of print] PubMed PMID: 23137534.
92. Hosono K, Yamada E, Endo H, Takahashi H, Inamori M, Hippo Y, Nakagama H, Nakajima A. Increased tumor necrosis factor receptor 1 expression in human colorectal adenomas. **World J Gastroenterol.** 2012 Oct 14;18(38):5360-8. doi: 10.3748/wjg.v18.i38.5360.
93. Yoneda M, Imajo K, Eguchi Y, Fujii H, Sumida Y, Hyogo H, Ono M, Suzuki Y, Kawaguchi T, Aoki N, Sata M, Kanemasa K, Kohgo Y, Saibara T, Chayama K, Itoh Y, Yoshikawa T, Anzai K, Fujimoto K, Okanoue T, Nakajima A; Japan Study Group of Nonalcoholic Fatty Liver Disease (JSG-NAFLD). Noninvasive scoring systems in patients with nonalcoholic fatty liver disease with normal alanine aminotransferase levels. **J Gastroenterol.** 2013 Sep;48(9):1051-60. doi: 10.1007/s00535-012-0704-y. Epub 2012 Nov 27.
94. Yagi K, Takahashi H, Akagi K, Matsusaka K, Seto Y, Aburatani H, Nakajima A, Kaneda A. Intermediate methylation epigenotype and its correlation to KRAS mutation in conventional colorectal adenoma. **Am J Pathol.** 2012 Feb;180(2):616-25. Epub 2011 Nov 21. PubMed PMID: 22115708.
95. Tomeno W, Yoneda M, Imajo K, Suzuki K, Ogawa Y, Shinohara Y, Mawatari H, Fujita K, Shibata W, Kirikoshi H, Maeda S, Nakajima A, Saito S. Evaluation of the Liver

Fibrosis Index calculated by using real-time tissue elastography for the non-invasive assessment of liver fibrosis in chronic liver diseases. **Hepatol Res.** 2013 Jul;43(7):735-42. doi: 10.1111/hepr.12023. Epub 2012 Dec 6.

- 96.Hotta K, Kitamoto A, Kitamoto T, Mizusawa S, Teranishi H, So R, Matsuo T, Nakata Y, Hyogo H, Ochi H, Nakamura T, Kamohara S, Miyatake N, Kotani K, Itoh N, Mineo I, Wada J, Yoneda M, Nakajima A, Funahashi T, Miyazaki S, Tokunaga K, Masuzaki H, Ueno T, Chayama K, Hamaguchi K, Yamada K, Hanafusa T, Oikawa S, Sakata T, Tanaka K, Matsuzawa Y, Nakao K, Sekine A. Replication Study of 15 Recently Published Loci for Body Fat Distribution in the Japanese Population. **J Atheroscler Thromb.** 2013 Apr 25;20(4):336-50. Epub 2012 Dec 7.
- 97.Oshima A, Hosono K, Ito S, Sekino Y, Iida H, Nonaka T, Yamanaka S, Nakajima A, Maeda S, Gotoh E, Inamori M. Ischemic gastritis. **Turk J Gastroenterol.** In press.
- 98.Ida T, Morohashi T, Ohara H, Goto T, Inamori M, Nakajima A, Maeda S, Tsukumo Y, Sakamoto A, Ishikawa Y. Gastric neuroendocrine carcinoma with non-islet cell tumor hypoglycemia associated with enhanced production of insulin-like growth factor II: a case report. **Internal Medicine.** 2013;52(7):757-60. Epub 2013 Apr 1.
- 99.Takahashi H, Yamada E, Ohkubo H, Sakai E, Higurashi T, Uchiyama T, Hosono K, Endo H, Nakajima A. Relationship of human rectal aberrant crypt foci and formation of colorectal polyp: One-year following up after polypectomy. **World J Gastrointest Endosc.** 2012 Dec 16;4(12):561-4.
- 100.Suzuki K, Yoneda M, Imajo K, Kirikoshi H, Nakajima A, Maeda S, Saito S. Transient elastography for monitoring the fibrosis of non-alcoholic fatty liver disease for 4 years. **Hepatol Res.** 2013 Sep;43(9):979-83. doi: 10.1111/hepr.12039. Epub 2013 Jan 7.
- 101.Sogawa K, Noda K, Umemura H, Seimiya M, Kuga T, Tomonaga T, Nishimura M, Kanai F, Imazeki F, Takizawa H, Yoneda M, Nakajima A, Tsutsumi M, Yokosuka O, Nomura F. Serum fibrinogen alpha C-chain 5.9 kDa fragment (FIC 5.9) as a biomarker for early detection of hepatic fibrosis related to hepatitis C virus. **Proteomics Clin Appl.** 2013 Jun;7(5-6):424-31. doi: 10.1002/prca.201200094. Epub 2013 May 17.

- 102.Shinohara Y, Imajo K, Yoneda M, Tomeno W, Ogawa Y, Kirikoshi H, Funakoshi K, Ikeda M, Kato N, Nakajima A, Saito S. Unfolded Protein Response pathways regulate Hepatitis C Virus replication via modulation of Autophagy. *Biochem Biophys Res Commun.* 2013 Mar 8;432(2):326-32. doi: 10.1016/j.bbrc.2013.01.103. Epub 2013 Feb 6.
- 103.Kubota K, Fujita Y, Sato T, Watanabe S, Hosono K, Yoneda M, Kirikoshi H, Hisatomi K, Matsuhashi N, Endo I, Inayama Y, Nakajima A. Tumor diameter and Ki-67 expression in biopsy could be diagnostic markers discriminating from adenoma and early stage cancer in patients with ampullary tumors. *J Hepatobiliary Pancreat Sci.* 2013 Jun;20(5):531-7. doi: 10.1007/s00534-013-0594-2.
- 104.Takashi Uchiyama, Hirokazu Takahashi, Hiroki Endo, Eiji Sakai, Kunihiro Hosono, Yoji Nagashima, Atsushi Nakajima IL-6 Plays Crucial Roles in Sporadic Colorectal Cancer through the Cytokine Networks including CXCL7 PP. *Journal of Cancer Therapy* Vol.3, No 6A 874-879, Pub. November 28, 2012
- 105.Kitamoto T, Kitamoto A, Yoneda M, Hyogo H, Ochi H, Nakamura T, Teranishi H, Mizusawa S, Ueno T, Chayama K, Nakajima A, Nakao K, Sekine A, Hotta K. Genome-wide scan revealed that polymorphisms in the PNPLA3, SAMM50, and PARVB genes are associated with development and progression of nonalcoholic fatty liver disease in Japan. *Hum Genet.* 2013 Jul;132(7):783-92. doi: 10.1007/s00439-013-1294-3. Epub 2013 Mar 28.
- 106.Sakai E, Endo H, Kato S, Matsuura T, Tomeno W, Taniguchi L, Uchiyama T, Hata Y, Yamada E, Ohkubo H, Higrashi T, Hosono K, Takahashi H, Nakajima A. Capsule endoscopy with flexible spectral imaging color enhancement reduces the bile pigment effect and improves the detectability of small bowel lesions. *BMC Gastroenterol.* 2012;12:83.
- 107.Imajo K, Yoneda M, Fujita K, Kessoku T, Tomeno W, Ogawa Y, Shinohara Y, Sekino Y, Mawatari H, Nozaki Y, Kirikoshi H, Taguri M, Toshima G, Takahashi J, Saito S, Wada K, Nakajima A. Oral choline tolerance test as a novel noninvasive method for predicting nonalcoholic steatohepatitis. *J Gastroenterol.* 2014 Feb;49(2):295-304. doi: 10.1007/s00535-013-0776-3. Epub 2013 Mar 16.

- 108.Ohkubo H, Kessoku T, Fuyuki A, Iida H, Inamori M, Fujii T, Kawamura H, Hata Y, Manabe N, Chiba T, Kwee TC, Haruma K, Matsuhashi N, **Nakajima A**, Takahara T. Assessment of Small Bowel Motility in Patients With Chronic Intestinal Pseudo-Obstruction Using Cine-MRI. *Am J Gastroenterol*. 2013 Jul;108(7):1130-9. doi: 10.1038/ajg.2013.57. Epub 2013 Mar 19.
- 109.Kubota K, Sato T, Watanabe S, Hosono K, Kobayashi N, Mori R, Taniguchi K, Matsuyama R, Endo I, **Nakajima A**. Covered self-expandable metal stent deployment promises safe neoadjuvant chemoradiation therapy in patients with borderline resectable pancreatic head cancer. *Dig Endosc*. 2014 Jan;26(1):77-86. doi: 10.1111/den.12049. Epub 2013 Mar 31.
- 110.Watanabe S, Kobayashi N, Kubota K, Sato T, Kato S, Hosono K, Shimamura T, Inayama Y, **Nakajima A**, Endo I. A novel scoring system for arterial invasion of pancreatic body and tail cancer based on multidetector row computed tomography and biomarkers. *Pancreatology*. 2013 Mar-Apr;13(2):161-9. doi: 10.1016/j.pan.2012.12.364. Epub 2013 Jan 22.
- 111.Shinohara Y, Imajo K, Yoneda M, Tomeno W, Ogawa Y, Fujita K, Kirikoshi H, Takahashi J, Funakoshi K, Ikeda M, Kato N, **Nakajima A**, Saito S. Hepatic triglyceride lipase plays an essential role in changing the lipid metabolism in genotype 1b hepatitis C virus replicon cells and hepatitis C patients. *Hepatol Res*. 2013 Nov;43(11):1190-8. doi: 10.1111/hepr.12072. Epub 2013 May 10.
- 112.Nonaka T, Sekino Y, Iida H, Yamada E, Ohkubo H, Sakai E, Higurashi T, Hosono K, Endo H, Koide T, Takahashi H, Fujita K, Yoneda M, Goto A, Kusakabe A, Kobayashi N, Gotoh E, Maeda S, **Nakajima A**, Nosaka C, Inamori M. Early Effect of Single-dose Sitagliptin Administration on Gastric Emptying: Crossover Study Using the (13)C Breath Test. *J Neurogastroenterol Motil*. 2013 Apr;19(2):227-32. doi: 10.5056/jnm.2013.19.2.227. Epub 2013 Apr 16.
- 113.Kitamoto A, Kitamoto T, Mizusawa S, Teranishi H, So R, Matsuo T, Nakata Y, Hyogo H, Ochi H, Nakamura T, Kamohara S, Miyatake N, Kotani K, Komatsu R, Itoh N, Mineo I, Wada J, Yoneda M, **Nakajima A**, Funahashi T, Miyazaki S, Tokunaga K, Masuzaki H, Ueno T, Chayama K, Hamaguchi K, Yamada K, Hanafusa

T, Oikawa S, Sakata T, Tanaka K, Matsuzawa Y, Nakao K, Sekine A, Hotta K. NUDT3 rs206936 is associated with body mass index in obese Japanese women. **Endocr J.** 2013 Aug 31;60(8):991-1000. Epub 2013 May 25.

- 114.Kurita Y, Koide T, Watanabe S, Ogawa T, Sekino Y, Iida H, Nonaka T, Kusakabe A, Gotoh E, Maeda S, **Nakajima A**, Inamori M. Postpyloric decompression tube placement through a gastrostomy for malignant bowel obstruction. **BMC Res Notes.** 2013 Jun 3;6:217. doi: 10.1186/1756-0500-6-217. PubMed PMID: 23731859; PubMed Central PMCID: PMC3680198.
- 115.Ogawa Y, Imajo K, Yoneda M, Kessoku T, Tomeno W, Shinohara Y, Kato S, Mawatari H, Nozaki Y, Fujita K, Kirikoshi H, Maeda S, Saito S, Wada K, **Nakajima A**. Soluble CD14 Levels Reflect Liver Inflammation in Patients with Nonalcoholic Steatohepatitis. **PLoS One.** 2013 Jun 7;8(6):e65211. doi:10.1371/journal.pone.0065211. Print 2013. PubMed PMID: 23762319; PubMed Central PMCID: PMC3676404.
- 116.Ezuka A, Kawana K, Nagase H, Takahashi H, **Nakajima A**. Improvement of pneumatisos cystoides intestinalis after steroid tapering in a patient with bronchial asthma: a case report. **J Med Case Rep.** 2013 Jun 26;7(1):163. [Epub ahead of print] PubMed PMID: 23803391.
- 117.Iida H, Ohkubo H, Inamori M, **Nakajima A**, Sato H. Epidemiology and clinical experience of chronic intestinal pseudo-obstruction in Japan: a nationwide epidemiologic survey. **J Epidemiol.** 2013;23(4):288-94. PubMed PMID: 23831693.
- 118.Kato S, Akimoto K, Nagashima Y, Ishiguro H, Kubota K, Kobayashi N, Hosono K, Watanabe S, Sekino Y, Sato T, Sasaki K, Nakaigawa N, Kubota Y, Inayama Y, Endo I, Ohno S, Maeda S, **Nakajima A**. aPKC λ/ι is a beneficial prognostic marker for pancreatic neoplasms. **Pancreatology.** 2013 Jul-Aug;13(4):360-8. doi: 10.1016/j.pan.2013.05.006. Epub 2013 May 22.
- 119.Watanabe S, Sato T, Kato S, Hosono K, Kobayashi N, **Nakajima A**, Kubota K. Positioning of nasobiliary tube using magnet-loaded catheters. **Endoscopy.** 2013 Oct;45(10):835-7. doi: 10.1055/s-0033-1344330. Epub 2013 Jul 29.

- 120.Tomeno W, Yoneda M, Imajo K, Ogawa Y, Kessoku T, Saito S, Eguchi Y, **Nakajima A**. Emerging drugs for non-alcoholic steatohepatitis. *Expert Opin Emerg Drugs.* 2013 Sep;18(3):279-90. doi: 10.1517/14728214.2013.811232. Epub 2013 Jul 13.
- 121.Hirata K, Wada K, Murata Y, **Nakajima A**, Yamashiro T, Kamisaki Y. Critical role of leukotriene B4 receptor signaling in mouse 3T3-L1 preadipocyte differentiation. *Lipids Health Dis.* 2013 Aug 9;12(1):122. doi: 10.1186/1476-511X-12-122. PubMed PMID: 23937951.
- 122.Taketani H, Sumida Y, Tanaka S, Imajo K, Yoneda M, Hyogo H, Ono M, Fujii H, Eguchi Y, Kanemasa K, Chayama K, Itoh Y, Yoshikawa T, Saibara T, Fujimoto K, **Nakajima A**; Japan Study Group of NAFLD (JSG-NAFLD). The association of insomnia with gastroesophageal reflux symptoms in biopsy-proven nonalcoholic fatty liver disease. *J Gastroenterol.* 2014 Jul;49(7):1163-74. doi: 10.1007/s00535-013-0871-5. Epub 2013 Aug 22.
- 123.Yamada E, Ohkubo H, Higurashi T, Sakai E, Endo H, Takahashi H, Uchida E, Tanida E, Izumi N, Kanesaki A, Hata Y, Matsuura T, Fujisawa N, Komatsu K, Maeda S, **Nakajima A**. Visceral obesity as a risk factor for left-sided diverticulitis in Japan: a multicenter retrospective study. *Gut Liver.* 2013 Sep;7(5):532-8. doi: 10.5009/gnl.2013.7.5.532. Epub 2013 Jun 11.
- 124.Kawamura H, Sakai E, Endo H, Taniguchi L, Hata Y, Ezuka A, Nagase H, Kessoku T, Yamada E, Ohkubo H, Higrashi T, Sekino Y, Koide T, Iida H, Nonaka T, Takahashi H, Inamori M, Maeda S, **Nakajima A**. Characteristics of the small bowel lesions detected by capsule endoscopy in patients with chronic kidney disease. *Gastroenterol Res Pract.* 2013;2013:814214. doi: 10.1155/2013/814214. Epub 2013 Aug 26.
- 125.Imajo K, Yoneda M, Ogawa Y, Wada K, **Nakajima A**. Microbiota and nonalcoholic steatohepatitis. *Semin Immunopathol.* 2014 Jan;36(1):115-32. doi: 10.1007/s00281-013-0404-6. Epub 2013 Dec 14.
- 126.Imajo K, Yoneda M, Kessoku T, Ogawa Y, Maeda S, Sumida Y, Hyogo H, Eguchi Y, Wada K, **Nakajima A**. Rodent models of nonalcoholic fatty liver disease/nonalcoholic steatohepatitis. *Int J Mol Sci.* 2014 Jan;36(1):115-32. doi:

10.1007/s00281-013-0404-6. Epub 2013 Dec 14.

- 127.Fujisawa T, Kagawa K, Hisatomi K, Kubota K, Nakajima A, Matsuhashi N. Endoscopic papillary large-balloon dilation versus endoscopic papillary regular-balloon dilation for removal of large bile-duct stones. **J Hepatobiliary Pancreat Sci.** 2014 Jun;21(6):405-9. doi: 10.1002/jhbp.42. Epub 2013 Oct 14.
- 128.Takahashi H, Hosono K, Endo H, Nakajima A. Colon epithelial proliferation and carcinogenesis in diet-induced obesity. **J Gastroenterol Hepatol.** 2013 Dec;28 Suppl 4:41-7. doi: 10.1111/jgh.12240.
- 129.Ohkubo H, Masaki T, Matsuhashi N, Kawahara H, Yokoyama T, Nakajima A, Ohkura Y. Histopathologic findings in patients with idiopathic megacolon: a comparison between dilated and non-dilated loops. **Neurogastroenterol Motil.** 2014 Apr;26(4):571-80. doi: 10.1111/nmo.12303. Epub 2014 Jan 6.
- 130.Sumida Y, Nakajima A, Itoh Y. Limitations of liver biopsy and non-invasive diagnostic tests for the diagnosis of nonalcoholic fatty liver disease/ nonalcoholic steatohepatitis **World J Gastroenterol** 2014 January 14; 20(2): 475-485
- 131.Sakai E, Nakajima A, Kaneda A. Accumulation of aberrant DNA methylation during colorectal cancer development. **World J Gastroenterol.** 2014 Jan 28;20(4):978-987. Review.
- 132.Sakai E, Ohata K, Chiba H, Matsuhashi N, Doi N, Fukushima J, Endo H, Takahashi H, Tsuji S, Yagi K, Matsusaka K, Aburatani H, Nakajima A, Kaneda A. Methylation epigenotypes and genetic features in colorectal laterally spreading tumors. **Int J Cancer.** 2014 Oct 1;135(7):1586-95. doi: 10.1002/ijc.28814. Epub 2014 Mar 10.
- 133.Kohjima M, Enjoji M, Yada R, Yoshimoto T, Nakamura T, Fukuzumi K, Fukushima N, Murata Y, Nakashima M, Kato M, Kotoh K, Shirabe K, Maehara Y, Nakajima A, Nozaki Y, Honda A, Matsuzaki Y, Nakamura M. Pathophysiological analysis of primary biliary cirrhosis focusing on choline/phospholipid metabolism. **Liver Int.** 2015 Mar;35(3):1095-102. doi: 10.1111/liv.12526. Epub 2014 Mar 31.

- 134.Kitamoto T, Kitamoto A, Yoneda M, Hyogo H, Ochi H, Mizusawa S, Ueno T, Nakao K, Sekine A, Chayama K, Nakajima A, Hotta K. Targeted next-generation sequencing and fine linkage disequilibrium mapping reveals association of PNPLA3 and PARVB with the severity of nonalcoholic fatty liver disease. **J Hum Genet.** 2014 May;59(5):241-6. doi: 10.1038/jhg.2014.17. Epub 2014 Mar 13.
- 135.Olszak T, Neves J, Dowds M, Baker K, Glickman J, Davidson N, Lin CS, Jobin C, Brand S, Sotlar K, Wada K, Katayama K, Nakajima A, Mizuguchi H, Kawasaki K, Nagata K, Kaser A, Zeissig S, Schreiber S, Müller W, Snapper S, Blumberg R., Protective mucosal immunity mediated by epithelial CD1d and IL-10. **Nature.** 2014 May 22;509(7501):497-502. doi: 10.1038/nature13150. Epub 2014 Apr 6.
- 136.Yoneda M, Thomas E, Sumida Y, Imajo K, Hyogo H, Fujii H, Ono M, Kawaguchi T, Eguchi Y, Nakajima A. Uric acid levels decrease with fibrosis progression in patients with nonalcoholic fatty liver disease. Corresponding Author: Dr. Masato Yoneda **Clin Biochem.** 2014 Aug;47(12):1138-9. doi: 10.1016/j.clinbiochem.2014.04.026. Epub 2014 May 4.
- 137.Endo H, Sakai E, Taniguchi L, Kessoku T, Komiya Y, Ezuka A, Kawamura H, Taguri M, Higurashi T, Ohkubo H, Yamada E, Takahashi H, Inamori M, Maeda S, Sakaguchi T, Hata Y, Nagase H, Nakajima A. Risk factors for small-bowel mucosal breaks in chronic low-dose aspirin users: data from a prospective multicenter capsule endoscopy registry. **Gastrointest Endosc.** 2014 Nov;80(5):826-34. doi: 10.1016/j.gie.2014.03.024. Epub 2014 May 13.
- 138.Tanaka T, Tahara-Hanaoka S, Nabekura T, Ikeda K, Jiang S, Tsutsumi S, Inagaki T, Magoori K, Higurashi T, Takahashi H, Tachibana K, Tsurutani Y, Raza S, Anai M, Minami T, Wada Y, Yokote K, Doi T, Hamakubo T, Auwerx J, Gonzalez FJ, Nakajima A, Aburatani H, Naito M, Shibuya A, Kodama T, Sakai J. PPAR β/δ activation of CD300a controls intestinal immunity. **Sci Rep.** 2014 Jun 24;4:5412. doi:10.1038/srep05412. PubMed PMID: 24958459.
- 139.Higurashi T, Endo H, Uchiyama T, Uchiyama S, Yamada E, Ohkubo H, Sakai E, Takahashi H, Maeda S, Wada K, Natsumeda Y, Hippo Y, Nakajima A, Nakagama H. Conditional knockout of the leptin receptor in the colonic epithelium revealed the local effects of leptin receptor signaling in the progression of colonic tumors in mice.

Carcinogenesis. 2014 Sep;35(9):2134-41. doi: 10.1093/carcin/bgu135. Epub 2014 Jun 23.

- 140.Kessoku T, Yoneda M, Sumida Y, Eguchi Y, Fujii H, Hyogo H, Ono M, Kawaguchi T, **Nakajima A**; Japan Study Group of NAFLD (JSG-NAFLD). Insulin Resistance Correlated With the Severity of Liver Histology in Japanese NAFLD Patients: A Multicenter Retrospective Study. **J Clin Gastroenterol.** 2014 Jul 10. [Epub ahead of print] No abstract available.
- 141.Takahashi H, Ohkubo H, **Nakajima A**, Shinozaki M, Sato H Comparison of Clinical Guidelines for Ulcerative Colitis: ECCO, BSG, US and Japanese Guidelines with Reference to Surveillance Program **JSM Gastroenterol Hepatol** 2(3): 1023 (2014)
- 142.Chiba H, Takahashi A, Inamori M, Goto T, Ohata K, Matsuhashi N, **Nakajima A**. Early colon cancer presenting as intussusception and successfully treated using endoscopic submucosal dissection. **Endoscopy.** 2014;46 Suppl 1:E326-7. doi: 10.1055/s-0034-1377224. Epub 2014 Aug 4.
- 143.Takahata M, **Nakamura A**, Aoki K, Kimura M, Sekino Y, Inamori M, Maeda S, Gotoh E, **Nakajima A**, Terauchi Y.Comparison of intragastric balloon therapy and intensive lifestyle modification therapy with respect to weight reduction and abdominal fat distribution in super-obese Japanese patients. **Obes Res Clin Pract.** 2014 Jul-Aug;8(4):e331-8. doi: 10.1016/j.orcp.2013.07.002. Epub 2013 Aug 24.
- 144.Kessoku T, Ogawa Y, Yoneda M, Imajo K, Sumida Y, Eguchi Y, Fujii H, Hyogo H, Ono M, Suzuki Y, Kawaguchi T, Chayama K, Tanaka S, Fujimoto K, Anzai K, Saibara T, Sata M, Itoh Y, **Nakajima A**, Jsg-Nafld TO.Simple scoring system for predicting cirrhosis in nonalcoholic fatty liver disease. **World J Gastroenterol.** 2014 Aug 7;20(29):10108-14. doi: 10.3748/wjg.v20.i29.10108.
- 145.Ichikawa Y, Nagashima Y, Morioka K, Akimoto K, Kojima Y, Ishikawa T, Goto A, Kobayashi N, Watanabe K, Ota M, Fujii S, Kawamata M, Takagawa R, Kunizaki C, Takahashi H, **Nakajima A**, Maeda S, Shimada H, Inayama Y, Ohno S, Endo I. Colorectal laterally spreading tumors show characteristic expression of cell polarity factors, including atypical protein kinase C λ/τ , E-cadherin, β -catenin and basement membrane component. **Oncol Lett.** 2014 Sep;8(3):977-984. Epub 2014 Jun 20.

- 146.Fujisawa T, Kagawa K, Watanabe S, Hisatomi K, Kubota K, Sato H, Nakajima A, Matsuhashi N. Endoscopic nasobiliary drainage for obstructive jaundice using either a 5 Fr or 7 Fr catheter: a prospective, randomized trial. **BMC Gastroenterol.** 2014 Sep 18;14(1):161. [Epub ahead of print] PubMed PMID: 25234181.
- 147.Yoneda M, Imajo K, Saito S, Nakajima A. Screening of nonalcoholic fatty liver disease in patients with coronary heart disease by transient elastography: proceed with caution **Wiener klinische Wochenschrift** Accepted 28 September 2014
- 148.Yamada E, Inamori M, Uchida E, Tanida E, Izumi M, Takeshita K, Fujii T, Komatsu K, Hamanaka J, Maeda S, Kanesaki A, Matsuhashi N, Nakajima A. Association Between the Location of Diverticular Disease and the Irritable Bowel Syndrome: A Multicenter Study in Japan. **Am J Gastroenterol.** 2014 Dec;109(12):1900-5. doi: 10.1038/ajg.2014.323. Epub 2014 Oct 21.
- 149.Taniguchi L, Higurashi T, Uchiyama T, Kondo Y, Uchida E, Uchiyama S, Jono F, Hamanaka J, Kuriyama H, Hata Y, Endo H, Takahashi H, Nagase H, Matsuhashi N, Nakajima A. Metabolic factors accelerate colorectal adenoma recurrence. **BMC Gastroenterol.** 2014 Oct 23;14:187. doi: 10.1186/1471-230X-14-187.
- 150.Ida T, Inamori M, Hamanaka J, Chiba H, Kusakabe A, Morohashi T, Nakajima A, Maeda S, Goto T. Endoscopic removal of a migrated stent in the gallbladder. **Endoscopy.** 2014;46 Suppl 1:E539-40. doi: 10.1055/s-0034-1377634. Epub 2014 Nov 19. No abstract available.
- 151.Sakai E, Endo H, Taguri M, Kawamura H, Taniguchi L, Hata Y, Ezuka A, Nagase H, Kessoku T, Ishii K, Arimoto J, Yamada E, Ohkubo H, Higurashi T, Koide T, Nonaka T, Takahashi H, Nakajima A. Frequency and risk factors for rebleeding events in patients with small bowel angioectasia. **BMC Gastroenterol.** 2014 Nov 28;14(1):200. [Epub ahead of print] PubMed PMID: 25430814.
- 152.Yamada E, Inamori M, Watanabe S, Sato T, Tagri M, Uchida E, Tanida E, Izumi M, Takeshita K, Fujisawa N, Komatsu K, Hamanaka J, Kanesaki A, Matsuhashi N, Nakajima A. Constipation is not associated with colonic diverticula: amulticenter study in Japan. 2014 Dec 3. doi:10.1111/nmo.12478. [Epub ahead of print] PubMed

PMID: 25469640.

- 153.Muto M, Matsufuji H, Tomomasa T, **Nakajima A**, Kawahara H, Ida S, Ushijima K, Kubota A, Mushiake S, Taguchi T. Pediatric chronic intestinal pseudo-obstruction is a rare, serious, and intractable disease: A report of a nationwide survey in Japan. *J Pediatr Surg.* 2014 Dec;49(12):1799-803. doi: 10.1016/j.jpedsurg.2014.09.025. Epub 2014 Nov 6. PubMed PMID: 25487487.
- 154.Kusakabe A, Nonaka T, Sekino Y, Iida H, Endo H, Koide T, Takahashi H, Fujita K, Yoneda M, Goto A, Gotoh E, Maeda S, **Nakajima A**, Nosaka C, Inamori M. Effects of ramosetron oral disintegrating tablets on gastric emptying: crossover study using the ¹³C-acetic acid breath test. *Hepatogastroenterology.* 2014 Jul-Aug;61(133):1279-82.
- 155.Kobayashi N, Sato T, Kato S, Watanabe S, Hosono K, Kubota K, Takedaz K, Endo I, **Nakajima A**, Maeda S, Ichikawa Y. Endoscopic treatment of postoperative benign bile duct stricture compared with malignant bile duct stricture. *Hepatogastroenterology.* 2014 Sep;61(134):1507-18.
- 156.Inamori M, Togawa J, Matsumoto S, Harad K, Matsuura M, Iida H, Akimoto K, Endo H, Nonaka T, Takahashi H, Koide T, Shibata W, Ida T, Kusakabe A, Nagase H, Tominaga S, Tanaka K, Gotoh E, **Nakajima A**, Maeda S. Protective effect of lactoferrin on acute acid reflux-induced esophageal mucosal damage. *Hepatogastroenterology.* 2014 Sep;61(134):1595-600.
- 157.Endo H, Sakai E, Kato T, Umezawa S, Higurashi T, Ohkubo H, **Nakajima A**. Small bowel injury in low-dose aspirin users. *J Gastroenterol.* 2014 Dec 14. [Epub ahead of print]
- 158.Imajo K, Hyogo H, Yoneda M, Honda Y, Kessoku T, Tomeno W, Ogawa Y, Taguri M, Mawatari H, Nozaki Y, Fujita K, Kirikoshi H, Saito S, Sumida Y, Ono M, Wada K, **Nakajima A**, Eguchi Y. LDL-Migration Index (LDL-MI), an Indicator of Small Dense Low-Density Lipoprotein (sdLDL), Is Higher in Non-Alcoholic Steatohepatitis than in Non-Alcoholic Fatty Liver: A Multicenter Cross-Sectional Study. *PLoS One.* 2014 Dec 26;9(12):e115403. doi: 10.1371/journal.pone.0115403. eCollection 2014.

- 159.Matsuura M, Inamori M, Endo H, Matsuura T, Kanoshima K, Inoh Y, Fujita Y, Umezawa S, Fuyuki A, Uchiyama S, Higurashi T, Ohkubo H, Sakai E, Iida H, Nonaka T, Futagami S, Kusakabe A, Maeda S, Nakajima A. Lubiprostone decreases the small bowel transit time by capsule endoscopy: an exploratory, randomised, double-blind, placebo-controlled 3-way crossover study. **Gastroenterol Res Pract**. 2014;2014:879595. doi: 10.1155/2014/879595. Epub 2014 Dec 29.
- 160.Tomeno W, Kawashima K, Yoneda M, Saito S, Ogawa Y, Honda Y, Kessoku T, Imajo K, Mawatari H, Fujita K, Saito S, Hirayasu Y, Nakajima A. Nonalcoholic fatty liver disease comorbid with major depressive disorder: the pathological features and poor therapeutic efficacy. **J Gastroenterol Hepatol**. 2015 Jan 26. doi: 10.1111/jgh.12897. [Epub ahead of print]
- 161.Kobayashi N, Watanabe S, Hosono K, Kubota K, Nakajima A, Kaneko T, Sugimori K, Tokuhisa M, Goto A, Mori R, Taniguchi K, Matsuyama R, Endo I, Maeda S, Ichikawa Y. Endoscopic inside stent placement is suitable as a bridging treatment for preoperative biliary tract cancer. **BMC Gastroenterol**. 2015 Feb 5;15(1):8. [Epub ahead of print]
- 162.Watanabe S, Hashimoto E, Ikejima K, Uto H, Ono M, Sumida Y, Seike M, Takei Y, Takehara T, Tokushige K, Nakajima A, Yoneda M, Saibara T, Shiota G, Sakaida I, Nakamura M, Mizuta T, Tsubouchi H, Sugano K, Shimosegawa T. Evidence-based clinical practice guidelines for nonalcoholic fatty liver disease/nonalcoholic steatohepatitis. **J Gastroenterol**. 2015 Apr;50(4):364-77. doi: 10.1007/s00535-015-1050-7. Epub 2015 Feb 24.
- 163.Nonaka T, Inamori M, Endo H, Matsuura M, Uchiyama S, Yamada E, Sekino Y, Sakai E, Higurashi T, Ohkubo H, Akimoto K, Iida H, Takahashi H, Koide T, Shibata W, Ida T, Kusakabe A, Gotoh E, Nakajima A, Maeda S. Correlation between gastric transit time measured by video capsule endoscopy and gastric emptying determined by the continuous real-time ¹³C breath test (BreathID system). **Hepatogastroenterology**. 2014 Oct;61(135):2159-62.
- 164.Kitamoto T, Kitamoto A, Ogawa Y, Honda Y, Imajo K, Saito S, Yoneda M, Nakamura T, Nakajima A, Hotta K. Targeted-bisulfite sequence analysis of the methylation of CpG islands in genes encoding PNPLA3, SAMM50, and PARVB of patients with

nonalcoholic fatty liver disease. **J Hepatol.** 2015 Mar 13. pii: S0168-8278(15)00172-5. doi: 10.1016/j.jhep.2015.02.049. [Epub ahead of print]

- 165.Kitamoto A, Kitamoto T, So R, Matsuo T, Nakata Y, Hyogo H, Ochi H, Nakamura T, Kamohara S, Miyatake N, Kotani K, Mineo I, Wada J, Ogawa Y, Yoneda M, **Nakajima A**, Funahashi T, Miyazaki S, Tokunaga K, Masuzaki H, Ueno T, Chayama K, Hamaguchi K, Yamada K, Hanafusa T, Oikawa S, Sakata T, Tanaka K, Matsuzawa Y, Hotta K. ADIPOQ polymorphisms are associated with insulin resistance in Japanese women. **Endocr J.** 2015 Mar 31. [Epub ahead of print]
- 166.Watanabe S, Hashimoto E, Ikejima K, Uto H, Ono M, Sumida Y, Seike M, Takei Y, Takehara T, Tokushige K, **Nakajima A**, Yoneda M, Saibara T, Shiota G, Sakaida I, Nakamura M, Mizuta T, Tsubouchi H, Sugano K, Shimosegawa T. Evidence-based clinical practice guidelines for nonalcoholic fatty liver disease/nonalcoholic steatohepatitis. **Hepatol Res.** 2015 Apr;45(4):363-77. doi: 10.1111/hepr.12511.
- 167.Inoue S, Sakamoto Y, Sekino Y, Nonaka T, Iida H, Endo H, Koide T, Takahashi H, Maeda S, **Nakajima A**, Gotoh E, Inamori M. Low-dose ramosetron accelerates gastric emptying in the early phase: A crossover study in healthy volunteers using a continuous real-time ¹³C breath test (BreathID System). **Turk J Gastroenterol.** 2015 Mar;26(2):123-7. doi: 10.5152/tjg.2015.4768.
- 168.Nozaki Y, Fujita K, Wada K, Yoneda M, Kessoku T, Shinohara Y, Imajo K, Ogawa Y, Nakamura M, Saito S, Masaki N, Nagashima Y, Terauchi Y, **Nakajima A**. Deficiency of iNOS-derived NO accelerates lipid accumulation-independent liver fibrosis in non-alcoholic steatohepatitis mouse model. **BMC Gastroenterol.** 2015 Apr 1;15:42. doi: 10.1186/s12876-015-0269-3.
- 169.Koide T, Iinuma M, Sakai E, Yamada E, Higurashi T, Ohkubo H, Iida H, Hosono K, Endo H, Nonaka T, Fujita K, Takahashi H, Yoneda M, Goto A, Ida T, Kusakabe A, **Nakajima A**, Maeda S, Gotoh E, Inamori M. Percutaneous endoscopic gastrostomy in a patient with hemophilia A. **Turk J Gastroenterol.** 2014 Dec;25 Suppl 1:S241. doi: 10.5152/tjg.2014.5262. No abstract available.
- 170.Suzuki K, Akimoto K, Fujisawa N, Koyama S, Tsunemi A, Tanaka M, Sekino Y, Iida H, Nonaka T, **Nakajima A**, Maeda S, Gotoh E, Inamori M. A metastatic melanoma of

the small intestine diagnosed by single-balloon enteroscopy. **Turk J Gastroenterol.** 2014 Dec;25 Suppl 1:S262-3. doi: 10.5152/tjg.2014.4113. No abstract available.

171.Oshima A, Hosono K, Ito S, Sekino Y, Iida H, Nonaka T, Yamanaka S, **Nakajima A**, Maeda S, Gotoh E, Inamori M. Ischemic gastritis. **Turk J Gastroenterol.** 2014 Dec;25 Suppl 1:S289-90. doi: 10.5152/tjg.2014.4114. No abstract available.

172.Umezawa S, Higurashi T, Uchiyama S, Sakai E, Ohkubo H, Endo H, Nonaka T, **Nakajima A**. Visual distraction alone for the improvement of colonoscopy-related pain and satisfaction. **World J Gastroenterol.** 2015 Apr 21;21(15):4707-14. doi: 10.3748/wjg.v21.i15.4707.

173.Iida H, Inamori M, Okuno K, Sekino Y, Sakai E, Okubo H, Higurashi T, Endo H, Hosono K, Yoneda M, Koide T, Takahashi H, Goto A, Kubota K, Saito S, Maeda S, **Nakajima A**, Gotoh E.Early effects of oral administration of esomeprazole and omeprazole on the intragastric pH. **Hepatogastroenterology.** 2015 Mar-Apr;62(138):493-6.

174.Matsuura M, Inamori M, **Nakajima A**, Komiya Y, Inoh Y, Kawasima K, Naitoh M, Fujita Y, Eduka A, Kanazawa N, Uchiyama S, Tani R, Kawana K, Ohtani S, Nagase H. Effectiveness of therapeutic barium enema for diverticular hemorrhage. **World J Gastroenterol.** 2015 May 14;21(18):5555-9. doi: 10.3748/wjg.v21.i18.5555.

175.Yamada A, Horimatsu T, Okugawa Y, Nishida N, Honjo H, Ida H, Kou T, Kusaka T, Sasaki Y, Makato Y, Higurashi T, Yukawa N, Amanuma Y, Kikuchi O, Muto M, Ueno Y, **Nakajima A**, Chiba T, Boland CR, Goel A. Serum miR-21, miR-29a and miR-125b are promising biomarkers for the early detection of colorectal neoplasia. **Clin Cancer Res.** 2015 Jun 2. pii: clincanres.2793.2014. [Epub ahead of print] PubMed PMID: 26038573.

176.Imajo K, Yoneda M, **Nakajima A**. Are platelets count useful for detecting the grade of steatosis? **Hepat Mon.** 2015 May 23;15(5):e28957. doi: 10.5812/hepatmon.15(5)2015.28957. eCollection 2015 May. No abstract available.

177.Chiba H, Ashikari K, Takahashi A, Goto T, Ohata K, Matsuhashi N, **Nakajima A**. A case of delayed bleeding after endoscopic submucosal dissection for completely

circumferential esophageal cancer. **Endoscopy**. 2015;47 Suppl 1:E385-6. doi: 10.1055/s-0034-1392429. Epub 2015 Aug 14. PubMed PMID: 26273773.

178.Fujisawa T, Kagawa K, Ochiai K, Hisatomi K, Kubota K, Sato H, **Nakajima A**, Matsuhashi N. Prophylactic Efficacy of 3 or 5-cm Pancreatic Stents for Preventing Post-ERCP Pancreatitis: A Prospective, Randomized Trial. **J Clin Gastroenterol**. 2015 Aug 12. [Epub ahead of print] PubMed PMID: 26280707.

179.Hirotani A, Sakai E, **Nakajima A**, Kawana K, Nagase H. Endoscopic findings of atypical juvenile colonic polyps. **Gastrointest Endosc**. 2015 Aug 20. pii: S0016-5107(15)02804-7. doi: 10.1016/j.gie.2015.08.032. [Epub ahead of print] PubMed PMID: 26299529.

180.Kitamoto A, Kitamoto T, Nakamura T, Matsuo T, Nakata Y, Hyogo H, Ochi H, Kamohara S, Miyatake N, Kotani K, Mineo I, Wada J, Ogawa Y, Yoneda M, **Nakajima A**, Funahashi T, Miyazaki S, Tokunaga K, Masuzaki H, Ueno T, Chayama K, Hamaguchi K, Yamada K, Hanafusa T, Oikawa S, Sakata T, Tanaka K, Matsuzawa Y, Hotta K. CDH13 Polymorphisms are Associated with Adiponectin Levels and Metabolic Syndrome Traits Independently of Visceral Fat Mass. **J Atheroscler Thromb**. 2015 Oct 1. [Epub ahead of print]

181.Tokushige K, Hyogo H, Nakajima T, Ono M, Kawaguchi T, Honda K, Eguchi Y, Nozaki Y, Kawanaka M, Tanaka S, Imajo K, Sumida Y, Kamada Y, Fujii H, Suzuki Y, Kogiso T, Karino Y, Munekage K, Kuromatsu R, Oeda S, Yanase M, Mori K, Ogawa Y, Seko Y, Takehara T, Itoh Y, **Nakajima A**, Kanemasa K, Nishino K, Masaki N, Takahashi H, Seike M, Torimura T, Saibara T, Toyota J, Chayama K, Hashimoto E. Hepatocellular carcinoma in Japanese patients with nonalcoholic fatty liver disease and alcoholic liver disease: multicenter survey. **J Gastroenterol**. 2015 Oct 11. [Epub ahead of print]

182.Arimoto J, Endo H, Kato T, Umezawa S, Fuyuki A, Uchiyama S, Higurashi T, Ohkubo H, Nonaka T, Takeno M, Ishigatubo Y, Sakai E, Matsuhashi N, **Nakajima A**. Clinical value of capsule endoscopy for detecting the small bowel lesions in patients with intestinal Behcet's disease. **Dig Endosc**. 2015 Sep 29. doi: 10.1111/den.12552. [Epub ahead of print]

- 183.Tarao K, Sekino Y, Nonaka T, Iida H, Inamori M, Nakajima A, Maeda S, Natsumeda Y, Ikegami T, Ohshige K. Recent Trends in Colonic Diverticulosis in Yokohama City: A Possibility of Changing to a More Western Profile. **Intern Med.** 2015;54(20):2545-50. doi: 10.2169/internalmedicine.54.4813. Epub 2015 Oct 15.
- 184.Nonaka T, Inamori M, Miyashita T, Harada S, Inou Y, Kanoshima K, Matsuura M, Higurashi T, Ohkubo H, Iida H, Endo H, Kusakabe A, Maeda S, Gotoh T, Nakajima A. Feasibility of deep sedation with the combination of propofol and dexmedetomidine hydrochloride for esophageal endoscopic submucosal dissection. **Dig Endosc.** 2015 Oct 17. doi: 10.1111/den.12559. [Epub ahead of print]
- 185.Ezuka A, Sakai E, Kawana K, Nagase H, Kakuta Y, Uchiyama S, Ohkubo H, Higurashi T, Nonaka T, Endo H, Takahashi H, Nakajima A. Association between factors associated with colorectal cancer and rectal aberrant crypt foci in humans. Received October 11, 2014; Accepted July 28, 2015 **ONCOLOGY LETTERS** Volume 10 Issue 6 : 3689-3695, 2015 DOI: 10.3892/ol.2015.3763
- 186.Sakai E, Fukuyo M, Ohata K, Matsusaka K, Doi N, Mano Y, Takane K, Abe H, Yagi K, Matsuhashi N, Fukushima J, Fukayama M, Akagi K, Aburatani H, Nakajima A, Kaneda A. Genetic and epigenetic aberrations occurring in colorectal tumors associated with serrated pathway. **Int J Cancer.** 2015 Oct 28. doi: 10.1002/ijc.29903. [Epub ahead of print]
- 187.Manabe N, Haruma K, Nakajima A, Yamada M, Maruyama Y, Gushimiyagi M, Yamamoto T. Characteristics of Colonic Diverticulitis and Factors Associated With Complications: A Japanese Multicenter, Retrospective, Cross-Sectional Study. **Dis Colon Rectum.** 2015 Dec;58(12):1174-81. doi: 10.1097/DCR.0000000000000488. PubMed PMID: 26544815.
- 188.Imajo K, Kessoku T, Honda Y, Tomeno W, Ogawa Y, Mawatari H, Fujita K, Yoneda M, Taguri M, Hyogo H, Sumida Y, Ono M, Eguchi Y, Inoue T, Yamanaka T, Wada K, Saito S, Nakajima A. Magnetic Resonance Imaging More Accurately Classifies Steatosis and Fibrosis in Patients with Nonalcoholic Fatty Liver Disease Than Transient Elastography. **Gastroenterology.** 2015 Dec 8. pii: S0016-5085(15)01734-5. doi: 10.1053/j.gastro.2015.11.048. [Epub ahead of print] PubMed PMID: 26677985.
- 189.Nozaki Y, Fujita K, Wada K, Yoneda M, Shinohara Y, Imajo K, Ogawa Y, Kessoku T, Nakamura M, Saito S, Masaki N, Nagashima Y, Terauchi Y, Nakajima A. Deficiency of eNOS exacerbates early-stage NAFLD pathogenesis by changing the fat

distribution. BMC Gastroenterol. 2015 Dec; 15(1):177. doi:
10.1186/s12876-015-0409-9.